



AKJ MINCHEM PVT LTD

C/O BALAJI MINERALS, NEAR MEWAR WEIGH BRIDGE, N.H.8 SUKHER,
UDAIPUR (RAJ.) 313001. WEBSITE:-WWW.AKJMINCHEM.COM
EMAIL :- AKJMINCHEM@GMAIL.COM/INFO@AKJMINCHEM.COM

MATERIAL SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1 Product identifiers

Product name : Potash feldspar
Product Number : AMPL-P
Brand : AKJ
CAS-No. : 68476-25-5.
Physical Form : White to tan granules to powder

Synonyms/Common Names: Potassium,Sodium,Aluminum Silicates (Na, K, Ca) AlSi3O8

Recommended Uses : Non-exhaustive list: Ceramics, ceramic glazes, fiberglass compositions, industrial filler, extender, for paper, rubber, paint, caulks/adhesives.

Restrictions on Use: Food ingredient, cosmetic ingredient.

Contains Crystalline Silica $\geq 1\%$ $\leq 10\%$ Respirable

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet Company

AKJ Minchem Private Limited
C/O SHREE BALAJI MARBLES & MINERALS
Near Mewar way Bridge,NH-8 Sukher
Udaipur Rajasthan 313001 INDIA
Telephone: +91 9772789555 EMAIL :- www.akjminchem.com

1.4 Emergency telephone number

Emergency Phone #: +91 9460212340
Emergency Phone #: +91 9509806461



AKJ MINCHEM PVT LTD

C/O BALAJI MINERALS, NEAR MEWAR WEIGH BRIDGE, N.H.8 SUKHER,
UDAIPUR (RAJ.) 313001. WEBSITE:-WWW.AKJMINCHEM.COM
EMAIL :- AKJMINCHEM@GMAIL.COM/INFO@AKJMINCHEM.COM

2. HAZARDS IDENTIFICATION - Contains Crystalline Silica $\geq 1\%$ $\leq 10\%$ Respirable

2.1 Classification of the substance or mixture

Eye Damage/Irritation	- Category 2
Skin Corrosion/Irritation	- Category 2
Specific Target Organ Toxicity	- Single Exposure Category 3
Respiratory Specific Target Organ Toxicity	- Repeated Exposure Category 1 –
Respiratory Carcinogenicity	- Category 1a.

2.2 Label elements

The product does not need to be labeled in accordance with EC directives or respective national laws.

2.3 Hazard Statements:

H373 : May cause damage to lung through prolonged or repeated inhalation.

Precautionary Statements :

P260: Do not breathe dust.

P285: In case of inadequate ventilation wear respiratory protection.

P501: Dispose of contents/containers in accordance with local regulation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Ingredient Weight % (Approx.) CAS N° EINECS N° Feldspar 90% 68476-25-5 270-666-7
Quartz - Crystalline Silica 10% 14808-60-7 238-878-4

Chemical Formula	Typical %,	By Weight CAS #
Crystalline Silica (quartz) SiO ₂	99.0 - 99.9	14808-60-7
Aluminum Oxide Al ₂ O ₃	< .8	1344-28-1



AKJ MINCHEM PVT LTD

C/O BALAJI MINERALS, NEAR MEWAR WEIGH BRIDGE, N.H.8 SUKHER,
UDAIPUR (RAJ.) 313001. WEBSITE:-WWW.AKJMINCHEM.COM
EMAIL :- AKJMINCHEM@GMAIL.COM/INFO@AKJMINCHEM.COM

4. FIRST AID MEASURES

Inhalation - If adverse effects occur, get immediate medical attention. If breathing is Difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Give artificial respiration if needed.

Skin - Wash immediately with soap and water.
Get medical attention if irritation develops or persists.

Eyes : Immediately flush eyes with plenty of water for at least 15 minutes.
Get medical attention.

Ingestion - DO NOT induce vomiting. If swallowed, drink plenty of water, do NOT induce vomiting. Never make an unconscious person vomit or drink fluids. Get medical attention.

Symptoms Immediate : eye irritation, skin irritation, respiratory tract irritation

Symptoms: Delayed gastrointestinal effects.

4.2 Most important symptoms and effects, both acute and delayed

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Advice for firefighters

Wear self contained breathing apparatus for firefighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures



AKJ MINCHEM PVT LTD

C/O BALAJI MINERALS, NEAR MEWAR WEIGH BRIDGE, N.H.8 SUKHER,
UDAIPUR (RAJ.) 313001. WEBSITE:-WWW.AKJMINCHEM.COM
EMAIL : - AKJMINCHEM@GMAIL.COM/INFO@AKJMINCHEM.COM

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation.

Evacuate personnel to safe areas.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end use(s) - no data available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment-



AKJ MINCHEM PVT LTD

C/O BALAJI MINERALS, NEAR MEWAR WEIGH BRIDGE, N.H.8 SUKHER,
UDAIPUR (RAJ.) 313001. WEBSITE:-WWW.AKJMINCHEM.COM
EMAIL :- AKJMINCHEM@GMAIL.COM/INFO@AKJMINCHEM.COM

Eye/face protection - Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection - Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Body Protection - Impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection - Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical State: Solid

Color: white to tan

Odor: Odorless

pH: 4-6 (aqueous solution)

Boiling Point: Not applicable

Decomposition: None

LEL: Not applicable

Vapor Pressure: Not applicable

Density : Not applicable

Appearance: white to tan solid

Physical Form: powder to granule

Odor Threshold: Not applicable

Melting Point: 1100-1450°C

Flash Point: Will not ignite

Evaporation Rate: Not applicable

UEL: Not applicable

Vapor Density (air = 1): Not applicable

Specific Gravity (water = 1): ~2.6 gm/cc



AKJ MINCHEM PVT LTD

C/O BALAJI MINERALS, NEAR MEWAR WEIGH BRIDGE, N.H.8 SUKHER,
UDAIPUR (RAJ.) 313001. WEBSITE:-WWW.AKJMINCHEM.COM
EMAIL : - AKJMINCHEM@GMAIL.COM/INFO@AKJMINCHEM.COM

Water Solubility: None
Auto Ignition: Will not ignite
Flow Point: Not applicable
VOC: None

Coeff> Water/Oil Dist: Not applicable
Viscosity: Not applicable
Sublimation Point: Not applicable

10. STABILITY AND REACTIVITY

10.1 Incompatible materials

Stability: Stable at normal temperatures and pressure.

Incompatibility (Materials to Avoid): None known .

Hazardous Decomposition or Byproducts: When exposed to high temperatures, free quartz can change crystal structure to form tridymite (above 870°C) or cristobalite (above 1470°C) which have greater health hazards than quartz. (Tridymite and cristobalite (TWA-TLV) =0.025 mg/m3.)

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Primary Route of Exposure: Skin, Eye Contact, Inhalation and Ingestion

Acute Health Hazards:

Eye contact may cause mechanical irritation.

Skin contact may aggravate existing dermatitis.

Inhalation from prolonged and continuous exposure to excessive quantities of dust may aggravate existing asthmatic or respiratory conditions

11.1 Information on toxicological effects Acute toxicity –

May cause eye irritation, skin irritation, respiratory tract irritation, and gastrointestinal tract irritation. May cause damage to respiratory tract through prolonged or repeated exposure.

INHALATION: Breathing silica dust may not cause noticeable injury or illness even though permanent lung damage may be occurring. Inhalation of dust may have the following serious chronic health effects:



AKJ MINCHEM PVT LTD

C/O BALAJI MINERALS, NEAR MEWAR WEIGH BRIDGE, N.H.8 SUKHER,
UDAIPUR (RAJ.) 313001. WEBSITE:-WWW.AKJMINCHEM.COM
EMAIL :- AKJMINCHEM@GMAIL.COM/INFO@AKJMINCHEM.COM

Silicosis: Excessive inhalation of respirable crystalline silica dust may cause a progressive, disabling and sometimes fatal lung disease called silicosis

Cancer Status: The International Agency for Research on Cancer has determined that crystalline silica inhaled in the form of quartz or cristobalite from occupational sources is carcinogenic to humans (Group 1 - carcinogenic to humans).

Skin corrosion/irritation - no data available

Serious eye damage/eye irritation - no data available

Respiratory or skin sensitization - no data available

Germ cell mutagenicity - no data available

Potential health effects -

Inhalation May be harmful if inhaled. Causes respiratory tract irritation.

Ingestion May be harmful if swallowed.

Skin May be harmful if absorbed through skin. May cause skin irritation.

Eyes Causes serious eye irritation.

Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Acute Toxicity Values: Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Quartz - Crystalline Silica (14808-60-7) Oral LD50 Rat 500 mg/kg

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product Offer surplus and non-recyclable solutions to a licensed disposal company.
Contaminated packaging Dispose of as unused product.



AKJ MINCHEM PVT LTD

C/O BALAJI MINERALS, NEAR MEWAR WEIGH BRIDGE, N.H.8 SUKHER,
UDAIPUR (RAJ.) 313001. WEBSITE:-WWW.AKJMINCHEM.COM
EMAIL :- AKJMINCHEM@GMAIL.COM/INFO@AKJMINCHEM.COM

14. TRANSPORT INFORMATION

14.1 UN number - IMDG: - IATA: -

14.2 UN proper shipping name - Not dangerous goods

14.3 Transport hazard class (es) - IMDG: - IATA: - Not dangerous goods

14.4 Packaging group - IMDG: - IATA: - Not dangerous goods

14.5 Environmental hazards - No IMDG Marine Pollutant: no IATA: no

14.6 Special precautions for user - no data available

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture - no data available

15.2 Chemical Safety Assessment - no data available

16. OTHER INFORMATION

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. AKJ MINCHEM PVT LTD and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. And/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

For,
AKJ MINCHEM PVT LTD

Product Name – Potash Feldspar.